

CW 1 KLEAN!FIT

Our CW 1 Klean!Fit gantry car wash stands out with its robust and long-life design, reliable operation with practical additional programs and a high vehicle throughput.



Order no.

1.534-300.2

Technical data

Washing height	mm	2300 / 2600 / 2900
Drive through width on mirror height	mm	2500
Voltage	V	400
Frequency	Hz	50
Number of current phases	Ph	3
Weight without accessories	kg	1500
Weight incl. packaging	kg	1558
Dimensions (L × W × H)	mm	1975 × 3500 × 3765




High functionality

- Outstanding washing and drying results.
- Practical additional programs for optimum functionality.



Compact design

- Compact arrangement of brush elements ensuring low space requirements.



Long lifetime

- Components that have been tried and tested many times for a long service life.

ACCESSORIES FOR CW 1 KLEAN!FIT 1.534-300.2



		Order no.	Description	
WATER RECLAMATION FOR CAR AND TRUCK WASH SYSTEMS				
Systems for oil free wash water				
WRP 8000	1	1.217-151.0	The WRP 8000 washing water recycling system has a flow performance of up to 8,000 l/h and reduces fresh water consumption efficiently and cost-effectively by up to 85%.	<input type="checkbox"/>
WRP Car Wash	2	1.217-153.0	The WRP Car Wash water reclamation system for vehicle washing bays with hydrocyclone has a flow performance of up to 3,000 l/h. The system reduces fresh water consumption by up to 85%.	<input type="checkbox"/>
WRB 4000 Bio	3	1.217-191.0	The WRB 4000 Bio chemical-free system for biological water recycling in car washes enables up to 98% less fresh water to be used. Here, the waste water is converted into clean reclaim water.	<input type="checkbox"/>
WRB 2000 Bio	4	1.217-190.0	Biological cleaning of waste water: The WRB 2000 Bio changes up to 2000 l of waste water from vehicle wash systems into fresh reclaim water per hour and returns it to the circulation system. All this without any chemicals.	<input type="checkbox"/>
PAYMENT SYSTEMS				
CR 213	5	2.642-797.0	Equipped with a magnetic card reader for single-use magnetic wash cards, our start system for gantry and commercial vehicle washes impresses with easy operation and a robust design.	<input type="checkbox"/>
CR 214	6	2.643-856.0	Innovative start and operating system CR 214 for gantry car washes. The code-based terminal offers customers and operators enhanced operating comfort, service functions and controlled processes.	<input type="checkbox"/>
CR 214 BC	7	2.855-130.0	Gantry car wash start system with touch display for intuitive user guidance. Permits the entry of PIN codes, has barcode reader. Made from high-quality plastic in RAL 7012.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.