Revision: 31.01.2022



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 3 (replaces version 2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: VehiclePro Active Foam RM 812 Classic
- · UFI: E030-V0X0-000C-YSV9
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.
- · Application of the substance / the mixture Car shampoo
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Internet: www.karcher.com

Further information obtainable from:

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management@de.kaercher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05



Printing date 04.03.2023

Version number 3 (replaces version 2)

Trade name: VehiclePro Active Foam RM 812 Classic

(Contd. of page 1)

Revision: 31.01.2022

· Signal word Danger

· Hazard-determining components of labelling:

sodium lauryl ether sulfate

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

· Precautionary statements

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

· 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Cleaning agent

	· Dangerous components:				
ľ	CAS: 68891-38-3	sodium lauryl ether sulfate	10-20%		
	NLP: 500-234-8	Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, XXX H412			
	Reg.nr.: 01-2119488639-16-XXXX				
		Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 %			
		Eye Irrit. 2; H319: 5 % ≤ C < 10 %			
Ī	CAS: 78330-20-8	8 fatty alcohol ethoxylate 1%			
		♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302			
Γ	Description (FC) No C40/2004 on determents / Labelling for contents				

Regulation (EC) No 648/2004 on detergents / Labelling for contents anionic surfactants non-ionic surfactants perfumes, preservation agents (PHENOXYETHANOL, BENZISOTHIAZOLINONE)

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Involve doctor immediately.

(Contd. on page 3)



Printing date 04.03.2023

Version number 3 (replaces version 2)

Trade name: VehiclePro Active Foam RM 812 Classic

(Contd. of page 2)

Revision: 31.01.2022

After inhalation

In case of unconsciousness place patient stably in side position for transportation. Supply fresh air; consult doctor in case of complaints.

· After skin contact

Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

Water spray

Use fire extinguishing methods suitable to surrounding conditions.

- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Printing date 04.03.2023

Version number 3 (replaces version 2)

Trade name: VehiclePro Active Foam RM 812 Classic

(Contd. of page 3)

Revision: 31.01.2022

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Avoid contact with eyes and skin.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions:

Protect from frost.

Store under lock and key and out of the reach of children.

Keep receptacle tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Short term filter device:

- Hand protection
- chemical resistant protective gloves (EN 374)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



· Material of gloves Butyl rubber, BR

(Contd. on page 5)



Printing date 04.03.2023 Version number 3 (replaces version 2)

Trade name: VehiclePro Active Foam RM 812 Classic

(Contd. of page 4)

Revision: 31.01.2022

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · For the permanent contact gloves made of the following materials are suitable:
- * butyl rubber 0,7 mm, 480 min (EN 374)
- · As protection from splashes gloves made of the following materials are suitable:
- * nitril rubber 0,4 mm, 30 min (EN 374)
- · Eye/face protection



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state Fluid · Colour: Green · Odour: Pine

· Odour threshold: Not determined.

Melting point/freezing point: -1 °C

· Boiling point or initial boiling point and boiling

100 °C · Flammability Not applicable.

· Lower and upper explosion limit

Not determined. · Lower: · Upper: Not determined. · Flash point: Not applicable · Ignition temperature: not applicable Not determined.

 Decomposition temperature: · pH at 20 °C 8.9

· pH-value 1 %: 7-9

· Viscosity:

· Kinematic viscosity Not determined. · dynamic at 20 °C: 20.5 mPas

· Solubility

· Water: Fully miscible

· Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: Not determined.

· Density and/or relative density

· Density at 20 °C: 1.026 g/cm³ · Relative density Not determined. · Vapour density Not determined. · Relative gas density Not determined. · Particle characteristics Not applicable.

(Contd. on page 6)



Printing date 04.03.2023 Version number 3 (replaces version 2) Revision: 31.01.2022

Trade name: VehiclePro Active Foam RM 812 Classic

(Contd. of page 5)

· 9.2 (Other	intormat	tion
---------	-------	----------	------

· Appearance:

· Form: Fluid

 Important information on protection of health and environment, and on safety.

• Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· Solids content: 19.3 %

· Change in condition

Evaporation rate
 Not determined.

· Information with regard to physical hazard

classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void

Gases under pressureFlammable liquidsVoid

Flammable solids
Self-reactive substances and mixtures
Pyrophoric liquids
Void

Pyrophoric solidsSelf-heating substances and mixturesVoid

· Substances and mixtures, which emit flammable

gases in contact with water Void

· Oxidising liquids Void

· Oxidising solids Void

Oxidising solids
Organic peroxides
Corrosive to metals
Void

· Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)



Printing date 04.03.2023 Version number 3 (replaces version 2) Revision: 31.01.2022

Trade name: VehiclePro Active Foam RM 812 Classic

(Contd. of page 6)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

78330-20-8 fatty alcohol ethoxylate

Oral ATE 500 mg/kg (Rat)

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:			
68891-38-3 sodiu	68891-38-3 sodium lauryl ether sulfate		
LC50/96 h >1-10 mg/l (Brachydanio rerio) (OECD 203)			
EC50/48 h >1-10 mg/l (Daphnia magna) (OECD 202)			
EC50/72 h >10-100 mg/l (Algae) (OECD 201)			
EC50 (static) >10000 mg/l (Pseudomonas putida)			
NOEC (dynamic)	NOEC (dynamic) 0.27 mg/l /(21 d) (Daphnia magna) (OECD 211)		
	0.14 mg/l /(28 d) (Oncorhynchus mykiss) (OECD 204)		
78330-20-8 fatty	78330-20-8 fatty alcohol ethoxylate		
LC50/96 h	LC50/96 h >10-100 mg/l (Leuciscus idus)		
EC50/48 h	EC50/48 h >10-<100 mg/l (Aquatic invertebrates)		
EC50/72 h >10-<100 mg/l (Aquatic plants)			

• 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 8)



Version number 3 (replaces version 2) Revision: 31.01.2022 Printing date 04.03.2023

Trade name: VehiclePro Active Foam RM 812 Classic

(Contd. of page 7)

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · COD-value: 630,000 mg/l
- · General notes:

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on ligid waste.

The product does not contain organically bounded halogens (AOX-free).

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

detergents containing hazardous substances

- · Uncleaned packaging:
- · Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

(Contd. on page 9)



Printing date 04.03.2023 Version number 3 (replaces version 2) Revision: 31.01.2022

Trade name: VehiclePro Active Foam RM 812 Classic

(Contd. of page 8)

SECTION 14: Transport information	ı
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk accordi	ing to Not applicable.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

(Contd. on page 10)



Printing date 04.03.2023

Version number 3 (replaces version 2)

Trade name: VehiclePro Active Foam RM 812 Classic

(Contd. of page 9)

Revision: 31.01.2022

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation

Serious eye damage/eye irritation

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

· Version number of previous version: 2

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* * Data compared to the previous version altered.

0.011-352.0

RM 812Classic/2

2.534

EU