Revision: 16.12.2021



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 7 (replaces version 6)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: VehiclePro Rim Cleaner, acidic RM 800
- · UFI: 2580-80AT-D002-P8U5
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.
- · Application of the substance / the mixture Detergent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Internet: www.karcher.com

· Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0 productsafety.management@de.kaercher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1 H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Printing date 04.03.2023

Version number 7 (replaces version 6)

Trade name: VehiclePro Rim Cleaner, acidic RM 800

(Contd. of page 1)

Revision: 16.12.2021

· Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:

phosphoric acid

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

CAS: 7664-38-2

· Description: Cleaning agent

٠,	Jan	ger	ous	com	poi	nents:
----	-----	-----	-----	-----	-----	--------

EINECS: 231-633-2 Index number: 015-011-00-6 Reg.nr.: 01-2119485924-24-xxxx phosphoric acid

Met. Corr.1, H290; Skin Corr. 1B, H314; Eve Dam. 1, H318;

Acute Tox. 4, H302

Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 %

Skin Irrit. 2; H315: 10 % ≤ C < 25

%

Eye Dam. 1; H318: $C \ge 25 \%$ Eye Irrit. 2; H319: $10 \% \le C < 25$

%

(Contd. on page 3)

10-20%

Revision: 16.12.2021



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 7 (replaces version 6)

Trade name: VehiclePro Rim Cleaner, acidic RM 800

		(Contd. of pag
CAS: 69011-36-5	isotridecanolethoxylate + 8 EO	5-10%
	♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302	1
CAS: 5329-14-6	sulphamic acid	≥2.5-<5
EINECS: 226-218-8	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3,	1
Index number: 016-026-00-0	H412	
Reg.nr.: 01-2119488633-28-xxxx		
CAS: 78330-20-8	fatty alcohol ethoxylate	≥3-≤5%
	📀 Eye Dam. 1, H318; 🕔 Acute Tox. 4, H302	
CAS: 85536-14-7	benzenesulfonic acid, 4-C10-13-sec-alkylderivs.	1%
EINECS: 287-494-3	Skin Corr. 1C, H314; Eye Dam. 1, H318; 🗘 Acute Tox. 4,	, 1
Reg.nr.: 01-2119490234-40-XXXX	H302; Aquatic Chronic 3, H412	
Regulation (EC) No 648/2004	on detergents / Labelling for contents	
phosphates		≥15 - <30%
non-ionic surfactants		≥5 - <15%
anionic surfactants		<5%

SECTION 4: First aid measures

perfumes (LIMONENE, DIPENTENE)

- 4.1 Description of first aid measures
- · General information

Involve doctor immediately.

Immediately remove any clothing soiled by the product.

· After inhalation

In case of unconsciousness place patient stably in side position for transportation.

· Additional information For the wording of the listed hazard phrases refer to section 16.

Supply fresh air; consult doctor in case of complaints.

· After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.



Printing date 04.03.2023

Version number 7 (replaces version 6)

Trade name: VehiclePro Rim Cleaner, acidic RM 800

(Contd. of page 3)

Revision: 16.12.2021

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

· Information about fire - and explosion protection: No special measures required.

(Contd. on page 5)



Printing date 04.03.2023

Version number 7 (replaces version 6)

Trade name: VehiclePro Rim Cleaner, acidic RM 800

(Contd. of page 4)

Revision: 16.12.2021

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

7664-38-2 phosphoric acid

IOELV Short-term value: 2 mg/m³ Long-term value: 1 mg/m³

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

Do not inhale gases / fumes / aerosols.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Filter A/P2.

- · Hand protection
- * chemical resistant protective gloves (EN 374)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves.

- · Material of gloves Butyl rubber, BR
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · For the permanent contact gloves made of the following materials are suitable:
 - * butyl rubber 0,7 mm, 480 min (EN 374)

(Contd. on page 6)



Printing date 04.03.2023

Version number 7 (replaces version 6)

100 °C

Not determined.

Trade name: VehiclePro Rim Cleaner, acidic RM 800

(Contd. of page 5)

Revision: 16.12.2021

- · As protection from splashes gloves made of the following materials are suitable:
- * nitril rubber 0,4 mm, 30 min (EN 374)
- · Eye/face protection



Tightly sealed goggles (EN 166)

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical stateColour:Odour:FluidLight redfresh

· Odour threshold: Not determined.

· Melting point/freezing point: -7 °C

 \cdot Boiling point or initial boiling point and boiling

range

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable
Ignition temperature: not applicable
Decomposition temperature: Not determined.

• pH at 20 °C 0.3 • pH-value 1 %: 1-2

· Viscosity:

Kinematic viscosity
 dynamic at 20 °C:
 Not determined.
 16 mPas

Solubility

Water: Fully miscible
 Partition coefficient n-octanol/water (log value)
 Not determined.

· Vapour pressure:

Density and/or relative density
 Density at 20 °C:

 Relative density
 Vapour density
 Relative gas density
 Particle characteristics

 1.135 g/cm³

 Not determined.
 Not determined.

 Not applicable.

· 9.2 Other information

· Appearance:

· Form: Fluid

(Contd. on page 7)



Version number 7 (replaces version 6) Printing date 04.03.2023 Revision: 16.12.2021

Trade name: VehiclePro Rim Cleaner, acidic RM 800

(Contd. of page 6)

· Important information on protection of health

and environment, and on safety.

· Auto-ignition temperature:

Product is not selfigniting.

· Explosive properties:

Product does not present an explosion hazard.

Solvent content:

· Solids content:

35.0 %

· Change in condition

· Softening point/range

· Oxidising properties

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes

· Explosives Void · Flammable gases Void Void · Aerosols · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Void

· Self-heating substances and mixtures · Substances and mixtures, which emit flammable

gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void

· Corrosive to metals May be corrosive to metals.

Void · Desensitised explosives

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions

Corrosive action on metals

Forms hydrogen in aqueous solution with metals

Reacts with strong alkali

Reacts with light alloys to form hydrogen

· 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 8)



Version number 7 (replaces version 6) Printing date 04.03.2023 Revision: 16.12.2021

Trade name: VehiclePro Rim Cleaner, acidic RM 800

(Contd. of page 7)

- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values relevant for classification:				
7664-38	7664-38-2 phosphoric acid				
Dermal	LD50	2740 mg/kg (Rabbit)			
69011-3	69011-36-5 isotridecanolethoxylate + 8 EO				
Oral	ATE	500 mg/kg (Rat)			
78330-2	78330-20-8 fatty alcohol ethoxylate				
Oral	ATE	500 mg/kg (Rat)			
85536-14-7 benzenesulfonic acid, 4-C10-13-sec-alkylderivs.					
Oral	ATE	500 mg/kg (Rat)			
		n to the			

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxic	· Aquatic toxicity:			
7664-38-2 pho	7664-38-2 phosphoric acid			
LC50/96 h	138 mg/l (Gambusia affinis)			
EC50/48 h	>100 mg/l (Daphnia magna) (OECD 202)			
69011-36-5 isc	69011-36-5 isotridecanolethoxylate + 8 EO			
LC50/96 h	>1-10 mg/l (Leuciscus idus)			
EC50/48 h	>1-10 mg/l (Aquatic invertebrates)			
	(Contd. on page 9			

Revision: 16.12.2021



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 7 (replaces version 6)

Trade name: VehiclePro Rim Cleaner, acidic RM 800

	(Contd. of page 8)		
EC50/72 h	>1-10 mg/l (Aquatic plants)		
5329-14-6 sulpha	mic acid		
LC50/96 h	70.3 mg/l (Pimephales promelas)		
ErC50/72h	48 mg/l (Algae)		
78330-20-8 fatty a	alcohol ethoxylate		
LC50/96 h	>10-100 mg/l (Leuciscus idus)		
EC50/48 h	>10-<100 mg/l (Aquatic invertebrates)		
EC50/72 h	>10-<100 mg/l (Aquatic plants)		
85536-14-7 benzenesulfonic acid, 4-C10-13-sec-alkylderivs.			
EC50/48 h (static) >1-10 mg/l (Daphnia magna) (OECD 202)			
· 12.2 Persistenc	e and degradability		
69011-36-5 isotri	decanolethoxylate + 8 EO		
Bismuth-act. sup.	≥90 % (mod. OECD 301 E)		

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · COD-value: 250000 mg/l
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organic complexing agents.

The product does not contain organically bounded halogens (AOX-free).

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.



Printing date 04.03.2023

Version number 7 (replaces version 6)

Trade name: VehiclePro Rim Cleaner, acidic RM 800

(Contd. of page 9)

Revision: 16.12.2021

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 29* detergents containing hazardous substances

- · Uncleaned packaging:
- · Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION	l 14: Trans	port in	formation
---------	-------------	---------	-----------

· 14.1 UN number or ID number

· ADR, IMDG, IATA UN1805

· 14.2 UN proper shipping name

· **ADR** 1805 PHOSPHORIC ACID, SOLUTION

· IMDG, IATA PHOSPHORIC ACID, SOLUTION

· 14.3 Transport hazard class(es)

· ADR



· Class 8 (C1) Corrosive substances.

· Label 8

· IMDG, IATA



· Class 8 Corrosive substances.

8

· Label

· 14.4 Packing group

· ADR, IMDG, IATA

(Contd. on page 11)



Printing date 04.03.2023 Version number 7 (replaces version 6) Revision: 16.12.2021

Trade name: VehiclePro Rim Cleaner, acidic RM 800

	(Contd. of page
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Hazard identification number (Kemler code):	80
· EMS Number:	F-A,S-B
· Segregation groups	(SGG1) Acids
· Stowage Category	Ä
· 14.7 Maritime transport in bulk according t	0
IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1805 PHOSPHORIC ACID, SOLUTION, 8, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 12)



Printing date 04.03.2023

Version number 7 (replaces version 6)

Trade name: VehiclePro Rim Cleaner, acidic RM 800

(Contd. of page 11)

Revision: 16.12.2021

A product information sheet can be provided if requested.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008				
Corrosive to metals	On basis of test data			
Skin corrosion/irritation	The classification of the mixture is generally based on the calculation			
Serious eye damage/eye irritati	on method using substance data according to Regulation (EC) No 1272/2008.			

· Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

· Version number of previous version: 6

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1: Skin corrosion/irritation - Category 1

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

· * Data compared to the previous version altered.

0.011-344.0

RM 800/6-2

2.494